## HAFELE



THE ORIGINAL QUARTZ SURFACE




An Everyday



Masterpiece





Dear Customers,

Häfele has now pioneered the way fittings are sold in India for over 13 years. Being a German company our foremost concern has always been to offer our customers products that are at the cutting edge of functionality as well as design coupled with the highest standards in Customer Service.

At Häfele; we have always believed that "We are what we repeatedly do. Excellence, then, is not an act, but a habit." And it is this belief that led to the addition of Caesarstone, World's premier quartz surfaces to our product line.

Since 1987, through a fusion of science, technology and artistic talent, Caesarstone has been creating quartz surfaces which are not only beautiful to look at, but also superior in adaptability and practicality. Whether you're a professional designer or simply looking to create exceptional personal interiors, Caesarstone surfaces are a starting point for all your creative endeavors.

If you're looking for inspiration or are ready to take your interior décor to a whole new level, we can help make it happen with Caesarstone's diverse collection of Quartz surfaces - Eco, Classico™, Supernatural™.

From kitchen countertops, bathroom vanities, wall paneling and even custom-made furniture, Caesarstone quartz surfaces are adaptable enough to use anywhere you imagine.

We simply provide the tools for you to put your unique stamp on any room and create an interior finish which is strikingly different than any other. So come and let your imagination run wild at the New Häfele Design Centers in Mumbai, Pune, Delhi, Bangalore, Chennai, Hyderabad & Kolkata.

Enjoy!

Jurgen Wolf Managing Director Hafele India Pvt. Ltd.



## Contents







**About Caesarstone** 

PAGE

06-13

Eco

PAGE

14-15

Classico

PAGE

16-19

Supernatural

PAGE

Caring For Your Caesarstone

20-23 24-25 26-27

**Technical Specifications** 





4030 Oyster


Bring Your Design
Dreams to the Surface
with Caesarstone.
30 Years of Caesarstone

Caesarstone consists of up to 93% quartz – one of nature's strongest minerals – and combines beauty with outstanding performance allowing you to bring your design imagination to life.

Founded in 1987, Caesarstone is the pioneer of engineered quartz surfaces. Its dominant position in the market is achieved through a continuous focus on research and development and technical investments. For three decades, Caesarstone has set new standards in innovation and craftsmanship and continues to do so till date.



#### **Technical Data**



## An Everyday Masterpiece

A perfect surface is like the icing on a cake. It's the final touch, your own personal signature. Finding exactly what you want isn't easy. With Caesarstone, we get creative with quartz, creating more colours, styles and combinations. Whether for the kitchen, bathroom or living room, there's a Caesarstone style that meets your needs, captures your spirit and sparks your imagination. With two collections of unique quartz surfaces, you can turn your vision into reality.



















Designs that Inspire Allied with Incredible Performance

World-renowned designers and architects choose to partner with Caesarstone to set new design trends. While these collaborations have garnered many design awards, they have a much more important function for us. Design collaborations push us to push boundaries. We seek to innovate. Our ambition is to consistently set new standards for your interiors - to pioneer new styles, new collections and new textures that give our customers the latest, most cutting edge designs making Caesarstone the surface of choice for designers like Oki Sato (Nendo), Philippe Malouin, Yael Mer & Shay Alkalay (Raw Edges), Tom Dixon & Jaime Hayon.







5143 White Attica



6134 Georgian Bluffs



6313 Turbine Grey



6046 Moorland Fog



4033 Rugged Concrete

# The New 2017 Colours

The new 2017 additions to the Supernatural Series are the 5143 White Attica, 6134 Georgian Bluffs, 6133Turbine Grey and 6046 Moorland Fog.

These designs achieve the exquisite appearance of natural stone and include a variety of intricate veins, bold colours and textures.

The addition of the 4033 Rugged Concrete to the Classico series has taken on the new raw trend of industrial design and pushed it further.

4033 Rugged Concrete is a genuine design statement, combining the coarse concrete trend fused together with Caesarstone's enduring quality and durability to deliver a surface of unparalleled performance and style.











4141 Misty Carrera



2230 Linen

## Eco Collection

### The First

The Caesarstone Eco collection represents the first four colors that spawned the entire range of Caesarstone colors as it exists today.

With each color representing a design aesthetic that not only added style but also durability to any surface thus redefining forever the way the world sees countertops.





5031 Statuario Maximus

## Classic Colours Collection

## The Original Quartz Surface Collection

At the very core of the Caesarstone brand, Classico combines leading edge technology, color and design innovation.

With Caesarstone's vast array of colors, styles and motifs, you are sure to find your perfect design. Our comprehensive range of colors, patterns and textures combine perfectly for guaranteed satisfaction.

Celebrate and reflect your style through luxe details, color and customization.



## Classico collection


This classic, multi-colour collection ranges from salt-and-pepper motifs to vivid colour blends, ideal for a variety of residential and commercial applications. Classico colours are available in three different finishes: Polished; Honed\* (matte or non-glossy); Viento\* (textured).



Pure White 1141



Snow 2141



Organic White 4600



White Shimmer 3142



Nougat 6600



Buttermilk 4220



lvory 2220




Shitake 4230



Ice Snow 9141



Cashmere 2370



\*Shade and graining of actual product may vary from printed sample.







5104 Tuscan Dawn

# Inspired by the Delicate Beauty of Nature

## The Supernatural Series

The Caesarstone marble granite inspired collection achieves the exquisite appearance of natural stone and carries forward a symphony of intricate veins, bold colors and textures.

Caesarstone retains the cool, tactile qualities of nature's strongest stones while offering freedom of design with seemingly endless application possibilities.




## Supernatural collection

Supernatural combines the spirit of nature with the higher performance of Caesarstone. A range that mirrors the complexity, emotion and uniqueness of natural stone while delivering superior quality and durability.



Frosty Carrina 5141



London Grey 5000



Noble Grey 5211



Statuario Maximus 5031



Alpine Mist 5110




White Attica 5143



Dreamy Marfil 5220



Tuscan Dawn 5104



\*Shade and graining of actual product may vary from printed sample.







5211 Noble Grey

# Caring for Your Caesarstone

Caesarstone surfaces require minimal maintenance to keep them looking like new due to its hard, nonporous and highly stain resistant nature. For everyday, routine cleaning, simply wipe the surface with a damp cloth and warm soapy water. Caesarstone ensures ease of care for long-lasting luster.

Tougher stains like lemon juice, wine, nail polish or permanent marker can easily be removed with little effort.



## Technical Data

Test Performed	Test Standard	Results	
Physical Emperies			
Water Absorption	ASTM C97	<0.05%	
Density	ASTM C97 EN 14617-1	2.2-2.4 ge/cm² 2.2-2.4 ge/cm²	
Flenural Strength	ASTM C880 EN 14617-2	6,500–10,770 ps; 44.8-74.3 MPa 57.6-70 MPa	
Dimension Stability	EN 14617-12	Class A	
Electrical Stability	EN 14617-13	Volume resistance (R) = $0.92 \times 10^{10} \Omega$ Volume resistanty (p <sub>j</sub> ) = $4.88 \times 10^{11} \Omega$ m	
Durability			
Impact Resistance	ASTM D1709 EN 14617-9	26.3 lbs (117N) 4,000 - 10,000 (J)	
Compressive Strongth	ASTM C 170' EN 14617-15'	21,312 - 27,133 psi 178,3-210.6 MPa	
Abrasion	ASTM C501 ASTM C1243 EN 14617-4	216-696 Valume of chood: V=132-246 mm <sup>2</sup> Groove length = 21.8 mm or V=86 mm <sup>2</sup>	
Freeze-Thaw Resistance	ASTM C1026 EN 14617-5	No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles	
Mohs Hardness Scale		6.5-7	
Stain, Chamical Smistance and Ceanability		1.000	
Stain Resistance*	ANSI 2124.6	Pesa	
Wear and Cleanability	ANSI 2124.6	Pata	
Chemical Resistance	ANS 2124.6 EN 14617-10	Fino Clam C.	



Test Performed		Test Standard	Results	
Diermai Properties				
Linear Thermal Expansion		ASTM D696 EN 14617-11	-30 to +30°C: 1.3-1.9 x 10° cm/on/° -30 to +30°C: 2.8 x 10° (°C°); -30 to +60°C: 2.7 x 10° (°C°)	
Thermal Conductivity		EN 12664/50 8301	1.75 W/m. / Y. Imaun T of 10°C)	
Thermal Stock		EN 14617-6	filo visual defects after 10 cycles Loss in mass = 0.02%-0.05% Loss in floourel strength = 0.7%-1.1%	
Boiling Water Resistance		NEMA LD3-3.5	Pass	
High Temperature Resistance		NEMALD3-3.6	Pana	
Safety				
Cigarette Test		ANS 2124.6	Pags	
Surface Burning		ASTRA E84	Class 1 and Class A	
Fire Classification		EN 13501-1	Wall cladding: 8-s1-d0 Flooring and stains: 8-lf-s1	
Static Coefficient of Priction		ASTM C1028	As received — Dry: 0.8; Wet: 0.6 As removated — Dry: 0.9; Wet: 0.6	
Slip Resistance		DIN 51130 DIN 51097 EN 14231 AS/N/2S 4586	Oil wet ramp: 89-10 Wet barefoot ramp: C Wes: 13-21 SRV; Dry: 43-53 SRV Four S rubber pendulum: 25-30 BPN Wet barefoot ramp: B Oil wet ramp: 810	
Radiation		ANSIN 42.14	<sup>23</sup> Ra = 1.4–5.8 <sup>24</sup> Th = 1.4–3 <sup>24</sup> K = <3–30,3 (Bg/kg dry weight)	
Test Performed	Test Standard	Results	Remarks	
Certifications and Appearals				
50 14001	Environmental Management Systems	Centried by KONet	Certificate # L-44679	
50 9001	Quality Systems – Model for Quality Assurance in Production, Installation, and Senicing	Certified by KNet	Certificate # L-29318	
OHSAS 18001	Health and Safety Systems	Certified by IQNet	Certificate # L-43226	
Cosher		Certified by Rabbi Yisrael Rozen, the Zornet Institute	Certificate # 58-003-523-6	
GREENGLARD Certified for "Indoor Air Quality" and "Children and Schools"		Caesantone is a low-emitt		
Scientific Certification Systems (SCS) Recycled Content		Certified by SCS	See page 11	
New York City Motorials and Equipment Acceptance (MEA)		Approved by City of New York	MEA 202-08-M	
ANSWASE Standard 51	Food Equipment Materials	Listed by NSF	Safe to use in food preparation areas.	

Notes:

Results represent a partial series range.

"Some models require scrubbing to nimove stains.



NOTES	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_



NOTES	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_





#### **Mumbai Design Centre:**

#2 Filix Building, Opp. Asian Paints, L.B.S. Marg, Bhandup (West), Mumbai - 400 078.

Tel.: 022 2596 9660/ 2596 9787/ 2594 7305

#### **Mumbai Regional Office**

Unit No. 205 Wing "E" 2<sup>nd</sup> Floor, Corporate Avenue, Chakala, Andheri (East) Mumbai - 400093

Tel.: 022 61197800

#### **Pune Designe Centre**

Shop No.2, ICC Trade Tower Senapati Bapat Road, 30, Laxmi Society, Model Colony, Shivaji Nagar, Pune - 411016 Tel.: 020 - 25633301 / 02

#### **New Delhi Design Centre:**

D-89, Ist Floor, Okhla Phase-I, New Delhi - 110 020.

Tel.: 011-66574999 • Fax: 011-41605482

## **Bangalore Design Centre:** No. 2/1, "Shiv Manor",

Langford Road, Shanthi Nagar, Bangalore - 560 027. Tel.: 080 4132 6116 • Fax: 080 4132 6226

#### **Hyderabad Design Centre:**

Park Side, 8-2-348/3/4, Road No. 3, Above Almond House, Banjara Hills,

Hyderabad - 500 034.

Tel.: 040 6666 8851 • Fax: 040 6666 8852

#### **Kolkata Design Centre:**

PS PACE, Premises No. 1/1A, Mahendra Roy Lane, Topsia, Kolkata - 700 046.

Mob.: 033 40086814 / 033 40089268

Fax: 033 24988020

#### **Chennai Design Centre:**

#24, 1st Floor, College Road, Nungambakkam, Next to Prince Towers.

Chennai - 600 006

Tel.: 044 4855 3353 / 044 4858 5525 Fax: 044 2446 0922

#### Bangladesh:

Tilottama Design Studio Road: 138, House: 8/A, Gulshan 1,

Dhaka - 1212 Tel.: 880-2-9886526 Mob.: 8801-672434394

Monika Home Decor Kathmandu Plaza, Kamaldhi, Kathmandu, Nepal Tel.: 00 9851 030 556/ 00 977 9818496082/ 00 977 9851030556

#### **Pune Office:**

Office No. 12, Vastushree Complex, Survey No.587, Near Hyde Park, Gultekdi, Market Yard,

Pune - 411 037. Tel.: 020 2426 6264 Fax: 020 2426 6274

#### **Ahmedabad Office:**

Office No. 302, 3rd Floor, Shangrila Arcade, Near Shyamal Cross Road, Satellite, Ahmedabad - 380015

Tel.: +91 79695 55505 / 8866220505

#### **Bhutan**

S C & K Marketing and Sales Ist Floor, Hotel 89 Building Chorten Lam, Thimphu, Bhutan Tel.: 975 2 333419 / 77114228 /

17600663

#### Hafele Design Centre, Colombo:

No. 52, Nandana Gardens, Colombo - 04 (On Duplication Road), Sri Lanka

Tel.: +94 112 500 501 Fax: +94 112 500 553

#### Hafele Design & Training Centre, Moratuwa:

448. Galle Road, Rawathawatta, Moratuwa, Sri Lanka. Tel.: +94 112 644 600

#### Hafele Boutique, Kandy:

747A, Sirimawo Bandaranayaka, Mawatha, Mulgampola, Kandy, Sri Lanka.

Tel./Fax: +94 812 223 338

## HAFEL

Mumbai Corporate Office:
Office No. 3, Building "A", BETA,
I Think Techno Campus, Off J.V.L.R,
Opp. Kanjurmarg East, Mumbai – 400 042
Tel.: 022 6142 6100 • Fax: 022 6702 0531

For Enquiries SMS "HAFELE" to 56070 Toll Free Customer Care: 1800 266 6667 customercare@hafeleindia.com info@hafeleindia.com







http://facebook.com/hafeleindia



http://www.twitter.com/hafeleindia

