



VS COR® Fold



Cabinet dimensions

| | K800 | K900 | K1000 |
|----------|------------|------------|------------|
| B | min. 800 | min. 900 | min. 1000 |
| T | min. 400 | min. 450 | min. 500 |
| W | ≥ 361 | ≥ 411 | ≥ 461 |

Cabinet dimensions

External width min: 800 - 1200 mm
 Door width min: 400 mm
 Internal height min: 530 mm

Specifications

Fittings: full extension with damping

Load capacity of baskets

Front baskets: 8 kg
 Rear baskets: 9,5 kg

Baskets

Chrome, RAL 9006 silver clear coat, RAL 9010 white



Basket dimensions (Front baskets)

| Cabinet | basket width | | | basket depth | | | basket height | |
|---------|--------------|-----|------|--------------|-----|------|----------------|-------------------------|
| | 800 | 900 | 1000 | 800 | 900 | 1000 | Classic Saphir | Premea Artline, Planero |
| | 450 | 450 | 450 | 230 | 305 | 350 | 75 | 84 |


Basket dimensions (Rear baskets)

| Cabinet | basket width | | | basket depth | | | basket height | |
|---------|--------------|-----|------|--------------|-----|------|----------------|-------------------------|
| | 800 | 900 | 1000 | 800 | 900 | 1000 | Classic Saphir | Premea Artline, Planero |
| | 330 | 430 | 470 | 370 | 370 | 370 | 75 | 84 |

Basket variants



Diag: left side pulled out






pull-out movement


07 / 2019






VS COR® Fold L



| | K800 | K900 | K1000 |
|----------|------------|------------|------------|
| B | min. 800 | min. 900 | min. 1000 |
| T | min. 400 | min. 450 | min. 500 |
| W | ≥ 361 | ≥ 411 | ≥ 461 |













1





A





2





B





3



4




5



K 800
K 900




K 1000




6




C





7





8





8





9




10




A



B






C




07 / 2019





VS COR® Fold R



| | K800 | K900 | K1000 |
|----------|----------|----------|-----------|
| B | min. 800 | min. 900 | min. 1000 |
| T | min. 400 | min. 450 | min. 500 |
| W | ≥ 361 | ≥ 411 | ≥ 461 |








1





A





2





B





3




4



5



K 800
K 900






K 1000


6




C





7





8





8





9




10



A



B



C

